

L Number	Hits	Search Text	DB	Time stamp
-	296	(717/116).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:04
-	163	(717/118).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:04
-	396165	(transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:58
-	987331	(access\$3 or writ\$3 or read\$3 or add\$3 or delet\$3 or modify\$3 or modifi\$6) NEAR5 (function\$1 or method\$1 or operation\$1 or variable\$1 or field\$1 or instance\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:05
-	5294328	process\$2 or thread\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:06
-	7470	class\$2 WITH load\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:58
-	2978510	java or (object oriented) or (object-oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:06
-	1562967	(process\$2 or thread\$1) and (java or (object oriented) or (object-oriented))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:06
-	2262	((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and ((access\$3 or writ\$3 or read\$3 or add\$3 or delet\$3 or modify\$3 or modifi\$6) NEAR5 (function\$1 or method\$1 or operation\$1 or variable\$1 or field\$1 or instance\$1)) and (class\$2 WITH load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:06
-	1924	((process\$2 or thread\$1) and (java or (object oriented) or (object-oriented))) and (((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and ((access\$3 or writ\$3 or read\$3 or add\$3 or delet\$3 or modify\$3 or modifi\$6) NEAR5 (function\$1 or method\$1 or operation\$1 or variable\$1 or field\$1 or instance\$1)) and (class\$2 WITH load\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:07

-	10	((717/116).CCLS.) and (((process\$2 or thread\$1) and (java or (object oriented) or (object-oriented)))) and (((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and ((access\$3 or writ\$3 or read\$3 or add\$3 or delet\$3 or modify\$3 or modifi\$6) NEAR5 (function\$1 or method\$1 or operation\$1 or variable\$1 or field\$1 or instance\$1)) and (class\$2 WITH load\$3)))) and ((717/118).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:07
-	49	((717/116).CCLS.) and (((process\$2 or thread\$1) and (java or (object oriented) or (object-oriented)))) and (((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and ((access\$3 or writ\$3 or read\$3 or add\$3 or delet\$3 or modify\$3 or modifi\$6) NEAR5 (function\$1 or method\$1 or operation\$1 or variable\$1 or field\$1 or instance\$1)) and (class\$2 WITH load\$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:07
-	20	((717/116).CCLS.) and (((process\$2 or thread\$1) and (java or (object oriented) or (object-oriented)))) and (((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and ((access\$3 or writ\$3 or read\$3 or add\$3 or delet\$3 or modify\$3 or modifi\$6) NEAR5 (function\$1 or method\$1 or operation\$1 or variable\$1 or field\$1 or instance\$1)) and (class\$2 WITH load\$3)))) and ((byte adj code\$1) or bytecode\$1 or byte-code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:07
-	0	20040006765.URPN.	USPAT	2004/06/18 17:31
-	2	("5193180" "6021272").PN.	USPAT	2004/06/18 17:34
-	6	6260187.URPN.	USPAT	2004/06/18 17:35
-	0	20030106043.URPN.	USPAT	2004/06/18 17:56
-	3011	((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and (class\$2 WITH load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:58
-	2484	((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and (class\$2 WITH load\$3)) and (java or (object oriented) or (object-oriented))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:59
-	702	((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and (class\$2 WITH load\$3)) and (java or (object oriented) or (object-oriented)) and ((byte adj code\$1) or bytecode\$1 or byte-code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 18:00

-	639	(((((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and (class\$2 WITH load\$3)) and (java or (object oriented) or (object-oriented))) and ((byte adj code\$1) or bytecode\$1 or byte-code\$1)) and ((access\$3 or writ\$3 or read\$3 or add\$3 or delet\$3 or modify\$3 or modifi\$6) NEAR5 (function\$1 or method\$1 or operation\$1 or variable\$1 or field\$1 or instance\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 18:01
-	631	(((((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and (class\$2 WITH load\$3)) and (java or (object oriented) or (object-oriented))) and ((byte adj code\$1) or bytecode\$1 or byte-code\$1)) and ((access\$3 or writ\$3 or read\$3 or add\$3 or delet\$3 or modify\$3 or modifi\$6) NEAR5 (function\$1 or method\$1 or operation\$1 or variable\$1 or field\$1 or instance\$1))) and (process\$2 or thread\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 18:01
-	20	(((((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and (class\$2 WITH load\$3)) and (java or (object oriented) or (object-oriented))) and ((byte adj code\$1) or bytecode\$1 or byte-code\$1)) and ((access\$3 or writ\$3 or read\$3 or add\$3 or delet\$3 or modify\$3 or modifi\$6) NEAR5 (function\$1 or method\$1 or operation\$1 or variable\$1 or field\$1 or instance\$1))) and (process\$2 or thread\$1)) and ((717/116).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 18:02
-	0	20040006765.URPN.	USPAT	2004/06/18 18:02
-	47	(((((transform\$6 or convert\$3 or modify\$3 or modifi\$6 or replac\$5 or upgrad\$3 or updat\$3) NEAR7 (class\$2 or object\$1 or template\$1 or module\$1 or interface\$1 or program\$1 or code\$1)) and (class\$2 WITH load\$3)) and (java or (object oriented) or (object-oriented))) and ((byte adj code\$1) or bytecode\$1 or byte-code\$1)) and ((access\$3 or writ\$3 or read\$3 or add\$3 or delet\$3 or modify\$3 or modifi\$6) NEAR5 (function\$1 or method\$1 or operation\$1 or variable\$1 or field\$1 or instance\$1))) and (process\$2 or thread\$1)) and ((717/118).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 18:03

L Number	Hits	Search Text	DB	Time stamp
-	296	(717/116).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 13:40
-	163	(717/118).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:17
-	1183454	class\$2 or (abstract adj class\$1) or interface\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:18
-	4445925	transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:23
-	162	((717/116).CCLS.) and ((transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) NEAR10 (class\$2 or (abstract adj class\$1) or interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:25
-	259	((transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) NEAR10 (class\$2 or (abstract adj class\$1) or interface\$1)) SAME (bytecode\$1 or (byte adj code\$1) or byte-code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:38
-	22	((717/116).CCLS.) and ((transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) NEAR10 (class\$2 or (abstract adj class\$1) or interface\$1))) and ((717/118).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:37
-	41441	(object adj oriented) or object-oriented or Java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:30
-	1682	((transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) NEAR10 (class\$2 or (abstract adj class\$1) or interface\$1)) SAME ((object adj oriented) or object-oriented or Java)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:31
-	482	((transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) NEAR10 (class\$2 or (abstract adj class\$1) or interface\$1)) SAME ((object adj oriented) or object-oriented or Java)) and (bytecode\$1 or (byte adj code\$1) or byte-code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:31
-	69014	(transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) near5 (class\$2 or (abstract adj class\$1) or interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:38
-	182	((transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) near5 (class\$2 or (abstract adj class\$1) or interface\$1)) SAME (bytecode\$1 or (byte adj code\$1) or byte-code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 13:41

-	12	((transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) near5 (class\$2 or (abstract adj class\$1) or interface\$1)) SAME (bytecode\$1 or (byte adj code\$1) or byte-code\$1)) and ((717/116).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:39
-	28	((transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) NEAR10 (class\$2 or (abstract adj class\$1) or interface\$1)) SAME ((object adj oriented) or object-oriented or Java)) and (bytecode\$1 or (byte adj code\$1) or byte-code\$1)) and ((717/116).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 12:38
-	17	((transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) NEAR10 (class\$2 or (abstract adj class\$1) or interface\$1)) SAME (bytecode\$1 or (byte adj code\$1) or byte-code\$1)) and ((717/116).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 13:33
-	756	class near5 loader\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 13:38
-	98648	(transform\$5 or convert\$3 or modifi\$6 or modify\$3 or split\$4 or replac\$3 or reconstruct\$3 or remodel\$3 or alter\$3 or reform\$3) NEAR10 (class\$2 or (abstract adj class\$1) or interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:25
-	0	("11and120").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 13:40
-	18	((717/116).CCLS.) and (class near5 loader\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 13:40
-	14	((717/116).CCLS.) and (class near5 loader\$1)) and (bytecode\$1 or (byte adj code\$1) or byte-code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 13:41